೯.೮೨

O.M.8. No 3067-0077 Expires May 31, 1993

ELEVATION CERTIFICAT

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMA).

Instructions for completing this form can be found on the following pages.

4210000							
SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE		
BUILDING OWNER'S NAME	POLICY NUMBER						
STREET ADDRESS (Including A	pt., Unit. Suite and/or Bidg.	Number) OR P.O. F	ROUTE AND BOX NUMBER		COMPANY NAIC NUMBER		
	AND DESCRIPTION OF THE PERSON	AMERICAL	LEGIEN BL	UD			
OTHER DESCRIPTION (Lui and			IDAH	10	Q TABLE		
CHY	D. Hare		· manufacture description of the second	STATE	ZIP CODE		
	SECTION 8 F	LOOD INSURA	NCE RATE MAP (FIRM)	INFORMATION			
Provide the following from t	he proper FIRM (See	Instructions):		8			
1 COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4 DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)		
16	0058	0005C	3/15/94	AE	3139		
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 C) Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE:							
	SECTION	ON C BUILDI	NG ELEVATION INFORM	MATION			
of! 31/319 3 fee (b) FIRM Zones V1-V30, the selected diagram, (c) FIRM Zone A (without below (check one) (d) FIRM Zone AO. The one) the highest grade level) elevated in accordance to the elevation daunder Comments on Pagithe FIRM [see Section of equation under Comments.)	AE, AH, and A (with the NGVD (or other FIFVE, and V (with BFE) is at an elevation of the highest grade action used as the reference adjacent to the build redance with the community system used in die 2). (NOTE: If the converse on Page 2.)	The top and the to	Section B, Item 7). If the lowest horizontal str. If eet NGVD (or other FIR not level from the selected uilding. In the selected diagram is depth number is available aim management ordinance above reference level elem used in measuring the elems to the datum system used.	M datum-see See diagram is feet ab e. is the building's e? Yes fevations: NGVI fevations is different and the FIRM a	ction B, Item 7). Lifeet above or ove or below (check in lowest floor (reference) No Unknown D'29 Other (describe) ent than that used on		
4. Elevation reference mark used appears on FIRM: Yes No (See Instructions on Page 4)							
5. The reference level elevation is based on: A actual construction construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)							
5. The elevation of the lowest grade immediately adjacent to the building is: \[\[\begin{align*} \begin{align*} \begin{align*} \begin{align*} \left* \\ \end{align*} \] (or other FIRM datum-see Section B, Item 7).							
	· SE	CTION D CO	MAUNITY INFORMATIO	N			
I. If the community official rules not the "lowest floor" as floor" as defined by the oral Date of the start of construction.	defined in the comm	iunity's floodpla	tin management ordinanc	e. the elevation of	the building's "lowest		


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE), V1–V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breaksway/non-breaksway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

RALPH A. KANGAS	IDAH	O PE/PLS	#1890			
CENTIFIERS NAME		LICENSE NUMBER (ur Affia Seal)				
PRESIDENT	SMITH 3	KANG45	ENGINIZERS, INC.			
TITLE	COMPANY NAME	_				
P.O. BOX 326	DONNELL	<u></u>	IDAHO	83615		
ADDRESS Letter At anga	CITY 5/20/9:	7 (STATE (208) 325-			
SIGNATURE	• Control of the cont	DATE	PHONÉ			
Copies should be made of this Certifica	ate for: 1) community official, 2) ins	surance agent/c	ompany, and 3) buil	ding owner.		
COMMENTS:	**************************************					
		rent ar vinn til monthessen som berglesskings en skinde havsking græggegen i som mer ege glesg byg				
•	• +4 / extr-siz-siz-siz-siz-siz-siz-siz-siz-siz-siz	THE STATE OF THE PARTY OF THE P				
all the second district of the second distric						



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

City Bldg. Permit No.

Development Permit Application

APPLICANT William J. Dunbar ADDRESS 1465	American Legion Boulevard
APPLICANT William J. Dunbar ADDRESS 1465 Phone: 740-0419 ADDRESS OF CONSTRUCTION	1465 American Legion Boulevard
DESCRIPTION OF PROPOSED WORKS:	
X NEW BUILDING	MOBILE HOME PLACEMENT
Residential	On Single Lot
X_Non/Residential	In Mobile Rome Park
ADDITION/ALTERATION	Replacement
SUBDIVISION OF LAND	New Placement
FILL	
WATERCOURSE ALTERATION	OTHER
Market Value of Exist. Property \$	
If this is an Addition/Alteration, 50% or more of the market value of Building?YesNo Attach the following information where applicable: P.	the already existing
dertaken including any filling and any watercourse or	
tion of the lowest floor (including basement) of all vation to which a proposed structure will be floody tered professional engineer or architect that the floty floodproofing criteria; (4) a description of the be altered or relocated, and (5) base (100-year) floor subdivision greater than 50 lots or 5 acres.	roofed; (3) certification by a regis- oodproofing method meets the communi- extent to which any watercourse will
THE FOLLOWING IS TO BE COMPLETED BY THE	LOCAL ADMINISTRATOR
Proposed development is located in X Flood H	zd.AreaFloodway
Base Flood Elev. of Site is: 3139 Source: FI	Map Eff.Date: March 15, 1994
PLAN REVIEW	
MSL Elevation/Depth Number structure is to be elevat	ed/floodproofedfeet.
Are necessary information, certificates and other pe	rmits attached? X Yes No
ACTION TAKEN	•
The proposed development is in conformance with PERMIT IS APPROVED	th applicable floodplain standards.
The proposed development is not in conformant dards (explanation attached). PERMIT IS DENI	
The proposed addition/alteration is not 50% of existing building. NO PLOOD PERMIT REQUIRED	or more of the market value of the
Date: 5/20/97 Local Administrator:	Paul D. Raymond, City Engineer