

# ELEVATION CERTIFICATE

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No 3067-0077  
Expires May 31, 1993

**ATTENTION:** Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).  
Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION	FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME Marvin Ames/Wagon Wheel Tr. Ct.	POLICY NUMBER
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER 1880 E. 5th N. / Space #1	COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and Block Numbers, etc.) Mountain Home, Idaho	
CITY Mountain Home	STATE Idaho
	ZIP CODE 83647

### SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

Provide the following from the proper FIRM (See Instructions):

1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION <small>(in AO Zones, use depth)</small>
160058 0005 B	1	FIRM	Sept. 30, 1988	* A	1st Floor to be 2 ft. above natural ground grd.

7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE):  NGVD '29  Other (describe on back)
8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE:  feet NGVD (or other FIRM datum—see Section B, Item 7).

### SECTION C BUILDING ELEVATION INFORMATION

1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level \_\_\_\_\_.
- \* 2(a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of  feet NGVD (or other FIRM datum—see Section B, Item 7).
- n/a (b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of  feet NGVD (or other FIRM datum—see Section B, Item 7).
- \*\* (c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is  feet above  or below  (check one) the highest grade adjacent to the building.
- n/a (d). FIRM Zone AO. The floor used as the reference level from the selected diagram is  feet above  or below  (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown
3. Indicate the elevation datum system used in determining the above reference level elevations:  NGVD '29  Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.)
4. Elevation reference mark used appears on FIRM:  Yes  No (See Instructions on Page 4)
5. The reference level elevation is based on:  actual construction  construction drawings  
(NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)
- \* 6. The elevation of the lowest grade immediately adjacent to the building is:  feet NGVD (or other FIRM datum—see Section B, Item 7).

### SECTION D COMMUNITY INFORMATION

1. If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is:  feet NGVD (or other FIRM datum—see Section B, Item 7).
2. Date of the start of construction or substantial improvement \_\_\_\_\_.


\* As Per LOMR Letter

**SECTION E CERTIFICATION**

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

*I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.*


CERTIFIER'S NAME		LICENSE NUMBER (or Affix Seal)	
Larry J. Lasuen		City of Mountain Home	
TITLE		COMPANY NAME	
Building Inspector		Mountain Home	
ADDRESS		CITY	STATE ZIP
160 S. 3rd E.		Mountain Home	Idaho 83647
SIGNATURE		DATE	PHONE
		10-23-92	587-2104

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

**COMMENTS:**

1st floor elevated 2' above natural grade of ground

N/A



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones. Elevations for all A Zones should be measured at the top of the reference level floor. Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.



DATE August 21, 1992

Floodplain Permit No. 6-92

# Development Permit Application

APPLICANT Marvin Ames  
Wagon Wheel Tr. Ct. ADDRESS 120 Paysee, Buhl, ID

Phone: 543-6858 ADDRESS OF CONSTRUCTION 1880 E. 5th N., Space #1  
Mtn. Home, ID

DESCRIPTION OF PROPOSED WORKS:

----- NEW BUILDING	----- <input checked="" type="checkbox"/> MOBILE HOME PLACEMENT
----- Residential	----- On Single Lot
----- Non/Residential	----- <input checked="" type="checkbox"/> In Mobile Home Park
----- ADDITION/ALTERATION	----- <input checked="" type="checkbox"/> Replacement
----- SUBDIVISION OF LAND	----- New Placement
----- FILL	
----- WATERCOURSE ALTERATION	----- OTHER

Market Value of Exist. Property \$ N/A

Estimated Cost of Proposed Construction \$ \_\_\_\_\_

If this is an Addition/Alteration, is the improvement  
50% or more of the market value of the already existing  
Building? Yes No

Attach the following information where applicable: Plans of the development to be un-  
dertaken including any filling and any watercourse or drainage way alteration.

Specifically, the following information is required; (1) Mean sea level (MSL) eleva-  
tion of the lowest floor (including basement) of all proposed structures; (2) MSL ele-  
vation to which a proposed structure will be floodproofed; (3) certification by a regis-  
tered professional engineer or architect that the floodproofing method meets the communi-  
ty floodproofing criteria; (4) a description of the extent to which any watercourse will  
be altered or relocated, and (5) base (100-year) flood elevation data for a development  
or subdivision greater than 50 lots or 5 acres.

THE FOLLOWING IS TO BE COMPLETED BY THE LOCAL ADMINISTRATOR

Proposed development is located in      Flood Hzd.Area      Floodway  
Base Flood Elev. of Site is: 2' above Source: FIRM Map Eff.Date: 9/30/88  
natural grade Revised LOMR/11-14-91

PLAN REVIEW

MSL Elevation/Depth Number structure is to be elevated/floodproofed \_\_\_\_\_ feet.

Are necessary information, certificates and other permits attached?      Yes      No

ACTION TAKEN

The proposed development is in conformance with applicable floodplain standards.  
PERMIT IS APPROVED

The proposed development is not in conformance with applicable floodplain stan-  
dards (explanation attached). PERMIT IS DENIED

The proposed addition/alteration is not 50% or more of the market value of the  
existing building. NO FLOOD PERMIT REQUIRED

Date: 8-24-92 Local Administrator: Paul D. Raymond, City Engineer

City Bldg. Permit No. #4046