ELEVATION CERTIFICATE FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION	FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME	POLICY NUMBER
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER	COMPANY NAIC NUMBER

OTHER DESCRIPTION (Lot and Block Numbers, etc.)

CITY STATE

SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

Provide the following from the proper FIRM (See Instructions):

1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION
1600580005	ander - Redenstein in diese di European eine state werden die sonder	C	3/15/1994	AE	(in AO Zones, use depth) $3/4/.0$

- 7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate
 - the community's BFE: ______ feet NGVD (or other FIRM datum-see Section B, Item 7).

SECTION C BUILDING ELEVATION INFORMATION

1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best
describes the subject building's reference level <u>8</u> . <i>Klk</i> 2(a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation
of <u>3142</u> [feet NGVD (or other FIRM datum-see Section B, Item 7).
(b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from
the selected diagram, is at an elevation of feet NGVD (or other FIRM datum-see Section B, Item 7).
(c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is feet above or
below (check one) the highest grade adjacent to the building.
(d). FIRM Zone AO. The floor used as the reference level from the selected diagram is feet above or below (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance?Yes No Unknown
3. Indicate the elevation datum system used in determining the above reference level elevations: X NGVD '29 Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.)
4. Elevation reference mark used appears on FIRM: 🔲 Yes 🖾 No (See Instructions on Page 4)
5. The reference level elevation is based on 🛛 🖾 actual construction 🗍 construction drawings
(NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)
6. The elevation of the lowest grade immediately adjacent to the building is: <u>3/4/</u> feet NGVD (or other FIRM datum-see Section B, Item 7).
SECTION D COMMUNITY INFORMATION
 If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest
floor" as defined by the ordinance is: feet NGVD (or other FIRM datum-see Section B, Item 7).
2. Date of the start of construction or substantial improvement <u>6-18-96 Ker</u> .


This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME BER (or Affix Seal) NNE ING COMPANY NAME TITLE Suite 0 C DORESS СП SIG TUNE DA PHONE

Copies should be made of this Certificate for: 1) community official(2) insurance agent/company, and 3) building owner.



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

DATE 6 3/96	Floodplain Permit No. 3-96
Development Permit	Application
APPLICANT Werley M. Fuller ADDRESS SPHONE: 587.8596 ADDRESS OF CONSTRUCTION DESCRIPTION OF PROPOSED WORKS:	P.3. Cottante our RV Back miles Home Del
Phone: <u>587.8596</u> ADDRESS OF CONSTRUCTION	Block 2 hot/0
DESCRIPTION OF PROPOSED WORKS:	Western Herre Sul
_1 NEW BUILDING	MOBILE HOME PLACEMENT
Residential	On Single Lot
Non/Residential	In Mobile Home Park
ADDITION / ALTERATION	Replacement
SUBDIVISION OF LAND	New Placement
FILL	
WATERCOURSE ALTERATION	OTHER
Market Value of Exist. Property \$	
Estimated Cost of Proposed Construction If this is an Addition/Alteration, 50% or more of the market value of Building? Yes No	is the improvement
dertaken including any filling and any watercourse <u>Specifically, the following information is required</u> tion of the lowest floor (including basement) of all vation to which a proposed structure will be flood tered professional engineer or architect that the filty floodproofing criteria; (4) a description of the be altered or relocated, and (5) base (100-year) floor or subdivision greater than 50 lots or 5 acres.	; (1) Mean sea level (MSL) eleva- l proposed structures; (2) MSL ele- proofed; (3) certification by a regis- loodproofing method meets the communi- extent to which any watercourse will
THE FOLLOWING IS TO BE COMPLETED BY TH	LOCAL ADMINISTRATOR
Proposed development is located in <u>AO</u> Flood H	Izd.Area Floodway
Base Flood Elev. of Site is: Source:	IRM Map Eff.Date: 9/30/88
PLAN REVIEW	11 Above
MSL Elevation/Depth Number structure is to be elevat	ed/floodproofed Natura / grd_feet.
Are necessary information, certificates and other pe	
ACTION TAKEN	
The proposed development is in conformance w PERMIT IS APPROVED	ith applicable floodplain standards.
The proposed development is not in conforman dards (explanation attached). PERMIT IS DEN	
The proposed addition/alteration is not 50% existing building. NO FLOOD PERMIT REQUIRED	or more of the market value of the
Date: 6/4/96 Local Administrator:,	Paul D. Raymond, City Engineer

City Bldg. Permit No.

1